
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	188	(training or teaching or learning) same (AED or (automatic adj3 (external adj3 defibrillator)) or defibrillator)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/22 10:13
L2	13	(simulat\$3 adj4 shock) and 1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/22 10:34
L3	0	(simulat\$3 adj4 (no adj2 shock)) and 2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/22 10:27
L4	1	(control adj4 panel) and 2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/22 10:27
L5	8	(control adj4 panel) and 1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/22 10:27
L6	3	(simulat\$3 adj shock) and 1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/06/22 10:35



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	365	(training or teaching or learning) same (AED or (automatic adj3 (external adj3 defibrillator)) or defibrillator)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/22 11:52
L2	9	(simulat\$3 adj3 shock) and 1	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/22 11:53

